

CARRIAGE



MODEL 401C (SHOWN)



MODEL 403A (SHOWN)



MODEL 408A (SHOWN)



WOOD SPECIES: OAK IN 14 FINISHES.
SEE PAGE 221.

CARRIAGE STOOL HAS A 360° SWIVEL
CAPABILITY.

MODEL	DESCRIPTION	COM YRD.	COL SQ. FT.	PRICING									
				WOOD	B/COM	C	D/COL	E	F	G	L	M	
ARM MODELS													
401A	ALL WOOD			\$376									
401C	UPHOLSTERED SEAT	.75	9		\$428	\$437	\$452	\$471	\$493	\$516	\$545	\$574	
DIMENSIONS: W 23 D 23 H 38 SW 19 SD 16 SH 18 AH 28		CARTONED WEIGHT 28		CUBIC FEET 14									
ARMLESS MODELS													
403A	ALL WOOD			\$305									
403C	UPHOLSTERED SEAT	.75	9		\$356	\$366	\$380	\$400	\$421	\$444	\$473	\$502	
DIMENSIONS: W 20.5 D 21.5 H 38 SW 18 SD 16 SH 18		CARTONED WEIGHT 21		CUBIC FEET 9									
SWIVEL BARSTOOL MODELS													
408A	ALL WOOD			\$430									
408C	UPHOLSTERED SEAT	.75	9		\$482	\$492	\$506	\$525	\$547	\$570	\$599	\$628	
DIMENSIONS: W 20 D 20 H 48.25 SW 20 SD 16 SH 30		CARTONED WEIGHT 42		CUBIC FEET 16									

**SPECIFICATIONS FOR COMMUNITY
CARRIAGE COLLECTION**
MODELS: 401A – 401C – 403A – 403C – 408A – 408C

Wood Species: Oak

Details of Construction: All chair parts are constructed from solid wood. All joints are connected together with solid wood, round tenons and assembly glue at each joint. The back is steam bent for maximum comfort and style. Front and back posts are lathe turned. The legs, as well as the spindles are wedged into the seat and secured with assembly glue.

Finish: Each chair has an even coat of a no-wipe stain, followed by a coat of sealer. A light sanding is given and then oven dried for 30 minutes. Another coat of catalyzed sealer is applied and oven dried for another 30 minutes. Another light sanding process is performed to assure a smooth finish. Then the product is sprayed with a 45 sheen catalyzed lacquer and oven dried for an additional 30 minutes. Then there is a 30 minute cool down period before final inspection.

Upholstery: Each seat is upholstered with 1” high density polyurethane to assure consistency in thickness and comfort. All upholstery materials pass the California Fire Retardant Code, Class 1, Commercial Standard 191-53, Technical Bulletin #117.

Dimensions:	<u>401A, C</u>	<u>403A, C</u>	<u>408A, C</u>
	Width: 23”	Width: 20 ½”	Width: 20”
	Depth: 23”	Depth: 21 ½”	Depth: 20”
	Height: 38”	Height: 38”	Height: 48 ¼”
	Seat Width: 19”	Seat Width: 18”	Seat Width: 20”
	Seat Depth: 16”	Seat Depth: 16”	Seat Depth: 16”
	Seat Height: 18”	Seat Height: 18”	Seat Height: 30”
	Arm Height: 28”		